



Intellectual Property Digital Library

News &amp; Information Resources

Search Contact Home

Español · Français ·

[Home](#) > [News & Information Resources](#) > [Intellectual Property Digital Library](#)

## PCT Advanced Search

[\[Simple Search\]](#) [\[Structured Search\]](#)

### Search:

- ☒ Front Page  
☐ Full Text

### Sort Results:

- ☒ Chronologically  
☐ By Relevance

### Date:

- ☒ All  
☐ Week of:



### Query:

(vibrator or resonator or oscillator) near (arm or beam or fork or cantilever) near (base or substrate) and (groove or cut) and electrode

Example: et/needle or et/syringe andnot (sew\* or thread)

### Display Options

0 hits

[Terms of Use](#)

- Welcome
- PCT (Patents)
- Trademarks
- Designs
- Article 6ter
- Resources

[\[ Printable version \]](#)

Searching PAJ

MENU NEWS HELP

Search Results : 34

Index Indication

Clear

Text Search

If you want to conduct a Number Search, please click on the button to the right.

Number Search

Applicant, Title of invention, Abstract — e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.  
One letter word or Stopwords are not searchable.

vibrator resonator oscillator

OR

AND

arm beam cantilever

OR

AND

groove electrode base

AND

AND

Date of publication of application — e.g. 19980401 - 19980405

AND

IPC — e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.



Search

Stored data

Copyright (C); 1998,2003 Japan Patent Office

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	422	(vibrat\$3 or resona\$4 or oscillat\$4) adj3 (arm or cantilever\$3) same (base or substrate) and (groove\$3 or cut\$3)	USPAT	2004/10/18 09:34	
2	BRS	L2	139	(vibrat\$3 or resona\$4 or oscillat\$4) adj3 (arm or cantilever\$3) same (base or substrate) and (groove\$3 or cut\$3) and electrode\$1	USPAT	2004/10/18 10:10	
3	BRS	L3	90	(vibrat\$3 or resona\$4 or oscillat\$4) adj3 (arm or cantilever\$3) same (base or substrate) and (groove\$3 or cut\$3) and electrode\$1	US-PGPUB; EPO; JPO; DERWENT; IBM-TDB	2004/10/18 10:13	
4	BRS	L4	66	(vibrat\$3 or resona\$4 or oscillat\$4) adj3 (arm or cantilever\$3) same (base or substrate) and (groove\$3 or cut\$3) and electrode\$1	USOCR	2004/10/18 10:13	